

LAMSON-SCRIBNER, F.

QK Index to the Names of North American Grasses.

495

G74L24I

1890

BOT.

Indianapolis, 1890.

584.9

.S47

copy 2



Received from the author
March 9, 1891.

Lester F. Ward

OK
495
G74 L24
1890
BOT
c. 2

INDEX TO THE NAMES OF
North American Grasses.

A REPORT PRESENTED TO THE SOCIETY FOR THE
PROMOTION OF AGRICULTURAL SCIENCE,
AT THE
INDIANAPOLIS MEETING, 1890,

BY
W. J. BEAL, F. LAMPSON-SCRIBNER, WM. SAUNDERS,
COMMITTEE ON NOMENCLATURE OF GRASSES.

PUBLISHED BY AUTHORITY OF THE SOCIETY.





QK
495
G74 L24
1890
Bot

Lamson-Scribner, F.

Index to the names of North
American grasses /

INDEX TO GRASS NAMES.

COMPILED BY F. LAMSON-SCRIBNER.

African Cane.—*Pennisetum spicatum*.
African Sugar Cane.—*Sorghum saccharatum*.

Agropyrum caninum, R. & S.—
Bearded Wheat-grass, Awned
Wheat-grass, Fibrous-rooted
Wheat-grass.

Agropyrum divergens, Nees.—
Wire Bunch-grass.

Agropyrum glaucum, R. & S.—
Colorado Blue-stem, Blue-joint,
Blue-stem, Blue-grass, Wheat-
grass, Wild Quack-grass, Gumbo-
grass.

Agropyrum repens, Beauv.—Couch-
grass, Witch-grass, Quitch-grass,
Quick-grass, Quack-grass, Quake-
grass, Wheat-grass, Creeping
Wheat-grass, Dog-grass, Dutch-
grass, Durfa-grass, Durfee-grass,
Devil's-grass, Chandler's grass,
Scutch-grass, Twitch-grass, Fin's
grass.

Agrostis alba, Linn.—Herd's grass,
Bent-grass, English Bent, White
Bent, Bonnet-grass, White-top,
Dew-grass, Fiorin, Marsh Bent-
grass.

Agrostis arachnoides, Ell.—Spider
Bent-grass.

Agrostis canina, Linn.—Brown
Bent, Dog's Bent, Mountain Red-
top, Rhode Island Bent, Fine-top,
Furze-top, Burden's grass.

Agrostis dispar, Michx.—Same as
A. elata.

Agrostis elata, Trin.—Southern
Bent, Tall Thin-grass.

Agrostis exarata, Trin.—Northern
Red-top, Mountain Red-top.

Agrostis perennans, Tuck.—Thin-
grass.

Agrostis scabra, Willd.—Rough
Bent, Fly-away grass, Tickle-
grass, Hair-grass, Fool-hay.

Agrostis stolonifera, Linn.—Creep-
ing Bent, Fiorin.

Agrostis vulgaris, With.—Herd's
grass, Bent, Fine-top, Fine Bent,
Rhode Island Bent, Furze-top,
Tall Red-top, Burden's grass,

Red-top, Summer Dew-grass,
Borden's grass.

Aira præcox, (*Avena præcox*),
Linn.—Early Wild Oat-grass.
Alabama Guinea-grass.—*Sorghum Halapense*.

Alkali-grass.—*Distichlis maritima*.

Alopecurus agrestis, Linn.—Slender
Fox-tail.

Alopecurus aristulatus, Michx.—
Wild Water-Fox-tail.

Alopecurus geniculatus, Linn.—
Water Fox-tail, Floating Fox-tail.

Alopecurus occidentalis, Scribn.—
Mountain Fox-tail, Mountain
Timothy.

Alopecurus pratensis, Linn.—Meadow
Fox-tail.

Alpine Meadow-grass.—*Poa laxa*.

American Canary-grass.—*Phalaris intermedia*.

Ammophila arundinacea, Host.—
Mat-grass, Common Sea-Reed,
Beach-grass, Sand-Reed, Reed,
Sea-sand Reed.

Ammophila brevipilis, Beuth.—
Purple Bent.

Ammophila longifolia, Vasey.—
Sand-grass, Woolly Bent-grass.
Andes, Grass-of-the.—*Arrhenatherum avenaceum*.

Andropogon argyræus, Schult.—
Silver Beard-grass.

Andropogon furcatus, Michx.—The
same as *Andropogon provincialis*,
Lam.

Andropogon Hallii, Hack.—Turkey-
foot, Sand-grass.

Andropogon macrourus, Michx.—
Brook-grass, Cluster-flowered
Beard-grass.

Andropogon nutans, Linn.—Indian
grass, Reed-grass, Wild Oat-grass,
Bushy Blue-stem.

Andropogon provincialis, Lam.—
Big Blue-stem, Finger-spiked
Beard-grass, Finger-spiked
Wood-grass, Finger-spiked Indian-
grass, Blue-stem, Blue-joint,
Blue Bent (in R. I.), Blue-grass,
Turkey-foot.

- Andropogon scoparius**, Michx.—Little Blue-stem, Indian-grass, Purple Wood-grass, Wire-grass, Brown-grass, White Bent, Broom Sedge, Broom-grass.
- Andropogon Sorghum**, Brot.—Subspecies *sativus*, Hack.—Includes the cultivated varieties of *Sorghum*.
- Andropogon Sorghum**, Brot., var. *Halapensis*, Hack.—Johnson grass, Cuba-grass, St. Mary's grass, False Guinea-grass, Mean's grass, Guinea-grass (see *Panicum jumentorum*), Egyptian Millet, Egyptian-grass, Green Valley-grass, Alabama Guinea-grass, Australian Millet, Morocco Millet, Evergreen Millet, Arabian Millet, Syrian-grass. (*Sorghum Halapense*).
- Andropogon Sorghum**, Brot., var. *vulgaris*, Hack.—Name now adopted for *Sorghum vulgare*, (which see).
- Andropogon Virginicus**, Linn.—Broom Sedge, Broom-grass, Virginia Beard-grass, Sedge-grass. Annual Meadow-grass.—*Poa annua*.
- Anthoxanthum odoratum**, Linn.—Sweet Vernal-grass, Sweet-scented Vernal-grass, Sweet-scented Spring-grass, Sweet-scented grass, Vernal grass.
- Arabian Millet, or Arabian Evergreen Millet.—*Sorghum Halapense*.
- Aristida Californica**, Thurb.—Hare's grass, "Zacate de liebre."
- Aristida dichotoma**, Michx.—Poverty grass.
- Aristida lanata**, Poir.—Woolly Poverty-grass, Woolly Triple-awn, Poverty-grass.
- Aristida oligantha**, Michx.—Prairie Triple-awn.
- Aristida purpurascens**, Poir.—Beard-grass.
- Aristida purpurea**, Nutt.—Purple Beard-grass, Western Beard-grass, Beard-grass, Mesquit (or Mezquit) grass.
- Aristida stricta**, Michx.—Downy Triple-awn, Wire-grass.
- Aristida tuberculosa**, Nutt.—Long-awned Poverty-grass.
- Aristida virgata**, Michx.—Beard-grass.
- Aristida**, sp. indt.—White grama (Odessa, Texas).
- Arrhenatherum avenaceum**, Beauv.—Tall Oat-grass, False Oat-grass, Tall Meadow Oat-grass, Ever-
- green-grass, Oat-grass, Grass-of-the-Andes, French Rye-grass. Arrow-grass.—*Stipa Spartea*.
- Arundinaria gigantea**, Chapm.—Cane, Large Cane (*A. macrosperra*, Michx.).
- Arundinaria macrosperra**, Mx.—Same as *A. gigantea*, Chapm.
- Arundinaria tecta**, Muhl.—Small Cane, Reed.
- Asprella Hystrix**, Willd.—Bottle Brush, Hedge-hog grass. Austin-grass.—*Panicum Texanum*. Australian Millet.—*Sorghum Halapense*. Australian Oats.—*Bromus unioloides*. Australian Prairie-grass.—*Bromus unioloides*. Awned Wheat-grass.—*Agropyrum caninum*.
- Avena fatua**, Linn.—Sand Oats, Wild Oats.
- Avena flavescens**, Linn.—Yellow Oat-grass.
- Avena præcox**.—Same as *Aira præcox*.
- Avena pratensis**, Linn.—Meadow Oat-grass.
- Avena striata**, Michx.—Purple Wild Oat-grass.
- Avena pubescens**, Linn.—Downy Oat-grass.
- Barley-grass.—*Hordeum pusillum*. Barley-grass, Wild.—*Hordeum pratense*.
- Barn-grass.—*Panicum Crus-galli*. Barn-yard grass.—*Panicum Crus-galli*. Beach-grass.—*Amnophila arundinacea*, *Uniola paniculata*.
- Beads Corn.—*Coix Lachryma*.
- Bear-grass.—*Stipa setigera*.
- Beard-grass.—*Polypogon Monspeliensis*, *Aristida purpurea*, *A. purpurascens*, *A. virgata*; also applied to species of *Andropogon*.
- Beard-grass, Cluster-flowered.—*Andropogon macrourus*.
- Beard-grass, Creeping.—*Oplismenus sativus*.
- Beard-grass, Finger-spiked.—*Andropogon provincialis*.
- Beard-grass, Naked.—Generic name for species of *Gymnopogon*.
- Beard-grass, Short-leaved.—*Gymnopogon brevifolius*.
- Beard-grass, Silver.—*Andropogon argyreus*.
- Beard-grass, Virginia.—*Andropogon Virginicus*.
- Beard-grass, Western.—*Aristida purpurea*.

- Beard-grass, Woolly.—*Erianthus saccharoides*.
- Bearded Darnel.—*Lolium temulentum*.
- Bearded Wheat-grass.—*Agropyrum caninum*.
- Beckmannia erucæformis**, Host.—Slough-grass (Montana), Wild Timothy (in Nevada).
- Bengal-grass.—*Setaria Italica*.
- Bent-grass, or simply Bent.—Generic name for species of *Agrostis*; applied oftentimes to *A. alba* and *A. vulgaris*.
- Bent, Blue.—*Andropogon provincialis*.
- Bent, Brown.—*Agrostis canina*.
- Bent, Creeping.—*Agrostis stolonifera*.
- Bent, Dog's.—*Agrostis canina*.
- Bent, English.—*Agrostis alba*.
- Bent, Fine.—*Agrostis vulgaris*.
- Bent, Marsh.—*Agrostis alba*.
- Bent-grass, Panic.—*Panicum agrostoides*.
- Bent, Purple.—*Calamagrostis brevipilis*.
- Bent, Reed.—*Calamagrostis Canadensis*.
- Bent, Rhode Island.—*Agrostis vulgaris* and *A. canina*.
- Bent, Rough.—*Agrostis scabra*.
- Bent, Southern.—*Agrostis elata*.
- Bent, Spider.—*Agrostis arachnoides*.
- Bent, White.—*Agrostis alba*, *Andropogon scoparius*.
- Bent, Woolly.—*Calamagrostis longifolia*, which is the same as *Ammophila longifolia*, Vasey.
- Bermuda-grass.—*Cynodon Dactylon*.
- Big Blue-stem.—*Andropogon provincialis*.
- Bitter Panic-grass.—*Panicum amarum*.
- Black Bent.—*Panicum virgatum*.
- Black Bunch-grass.—*Hilaria Jamesii*.
- Black-fruited Mountain Rice.—*Oryzopsis melanocarpa*.
- Black Grama.—*Bouteloua oligostachya*, *Muhlenbergia pungens*.
- Black Oat-grass.—*Stipa avenacea*.
- Blerpharidachne (Eremochloe)**.—Desert-grass.
- Blowout-grass.—*Redfieldia flexuosa*.
- Blue Bent (of R. I.).—*Andropogon provincialis*.
- Blue Grama.—*Bouteloua oligostachya*.
- Blue-grass.—*Poa pratensis*, *Poa compressa*, *Andropogon provincialis*, *Agropyrum glaucum*.
- Blue-grass, English.—*Poa pratensis*, *Festuca elatior*.
- Blue-grass, Kentucky.—*Poa pratensis*.
- Blue-grass, Smaller.—*Poa compressa*.
- Blue-grass, Texas.—*Poa arachnifera*.
- Blue joint-grass.—*Calamagrostis Can-*
- densis*, *Agropyrum glaucum*, *Andropogon provincialis*.
- Blue-stem.—*Agropyrum glaucum*, *Andropogon provincialis*.
- Blue-stem, Big.—*Andropogon provincialis*.
- Blue-stem, Bushy.—*Andropogon nutans*.
- Blue-stem, Colorado.—*Agropyrum glaucum*.
- Blue-stem, Little.—*Andropogon scoparius*.
- Bonnet-grass.—*Agrostis alba*.
- Borden's grass.—*Agrostis vulgaris*.
- Bottle-grass.—*Setaria glauca* and *Setaria viridis*.
- Bottle-Brush grass.—*Asprella Hystrix*.
- Bottom-grass.—*Panicum Texanum*.
- Bouteloua curtipendula**.—The same as *B. racemosa*, Lag., q. v.
- Bouteloua eriopoda**, Torr.—Woolly-jointed Grama.
- Bouteloua hirsuta**, Lag.—Black Gramma (Texas), Bristly Mesquit, Muskit or Meskit grass, Tall Gramma.
- Bouteloua oligostachya**, Torr.—Blue Gramma (Texas), Mesquit-grass, Muskit grass, Gramma, Black Gramma (New Mexico), Mosquit grass, Buffalo grass (in Montana), White Gramma.
- Bouteloua polystachya**, Torr.—Low Gramma, Six-weeks' grass.
- Bouteloua racemosa**, Lag.—Tall Gramma, Hairy Mesquit, Muskit-grass. (*B. curtipendula*).
- Bouteloua Texana**, Watson.—Texan Mesquit, Mesquit.
- Branching Fox-tail.—*Trichloris verticillata*.
- Branching Spear-grass.—*Eragrostis tenuis*.
- Bristly Foxtail.—*Setaria Germanica* and *S. verticillata*.
- Bristly Muskit or Mesquit.—*Bouteloua hirsuta*.
- Briza media**, Linn.—Quaking-grass.
- Brome-grass.—Generic name for species of *Bromus*.
- Brome-grass, Californian.—*Bromus carinatus*.
- Brome-grass, Fringed.—*Bromus ciliatus*.
- Brome-grass, Smooth.—*Bromus ramosus*.
- Brome-grass, Soft.—*Bromus mollis*.
- Brome-grass, Willard's.—*Bromus secalinus*.
- Bromus carinatus**, Hook.—California Brome-grass.
- Bromus ciliatus**, Linn.—Swamp Chess, Fringed Brome-grass.

- Bromus Kalmii**, Gray.—Wild Chess.
Bromus mollis, Linn.—Soft Chess,
 Soft Brome-grass.
Bromus racemosus, Linn.—Smooth
 Brome-grass, Upright Chess.
Bromus Schraderi.—Same as *Bro-
 mus unioloides*.
Bromus secalinus, Linn.—Chess,
 Cheat, Willard's Brome-grass.
Bromus unioloides, Willd.—Rescue
 grass, Schrader's Brome-grass,
 Australian Oats, Australian Prai-
 rie-grass.
Bromus Wildenovii.—Same as *Bro-
 mus unioloides*.
 Brook-grass.—*Andropogon macrorurus*.
 Broom Corn.—*Sorghum saccharatum*,
 variety.
 Broom-grass.—*Andropogon scoparius*
 and *A. Virginicus*.
 Broom Sedge.—*Andropogon Virginici-
 us*; also applied sometimes to
Andropogon scoparius.
 Brown Bent-grass.—*Agrostis canina*.
 Brush, Bottle.—*Asprella Hystrix*.
Buchloe dactyloides, Engelmann.—
 Buffalo-grass, False Mesquit, Ear-
 ly Mesquit, Meskit grass.
 Buffalo-grass.—*Buchloe dactyloides*,
Bouteloua oligostachya, *Panicum
 Texicum*, *Stipa spartea* (in the
 Saskatchewan region).
 Buffalo-Bunch grass.—*Festuca sca-
 brella*.
 Bull-grass,—*Spartina cynosuroides* and
Paspalum plicatulum, *Tripsacum
 dactyloides*.
 Bunch-grass.—*Oryzopsis cuspidata*,
Poa tenuifolia, *Stipa viridula*, *S.
 comata*, *Sporobolus heterolepis*, *Ca-
 lamagrostis sylvatica*, etc. This
 name is applied by the ranch-
 men in the west to many of the
 native grasses.
 Bunch-grass, Buffalo.—*Festuca sca-
 brella*.
 Bunch-grass, Early.—*Eatonia obtu-
 sata*.
 Bunch-grass, Feather.—*Stipa viridula*.
 Bunch-grass, Great.—*Festuca scabrella*.
 Bunch-grass, Pine.—*Festuca ovina*, L.
 variety.
 Bunch-grass, Wire.—*Agropyrum di-
 vergens*.
 Bunch-Hair-grass.—*Muhlenbergia tri-
 chopoda*.
 Bunch Spear-grass.—*Poa Andina*.
 Bur-grass.—*Cenchrus tribuloides*.
 Burden's grass.—*Agrostis vulgaris*, *A.
 canina*.
 Bushy Blue-stem.—*Andropogon nu-
 tans*.
- Buzzard-grass (local).—*Eleusine In-
 dica*.
- Calamagrostis arenaria**, Roth.—
 Same as *Ammophila arundinacea*.
Calamagrostis brevipilis, Gray (*Am-
 mophila brevipilis*).—Purple Bent.
Calamagrostis Canadensis.—Blue-
 joint-grass, Sand-grass, Red-top
 Canadian Small-Reed, Fowl Mea-
 dow-grass.
Calamagrostis Howellii, Vasey.—
 Howell's grass.
Calamagrostis longifolia.—Same as
Ammophila longifolia and *Calamo-
 gristis longifolia*.
Calamagrostis Nuttalliana.—Reed
 Bent-grass, Wild Oats (*Calama-
 gristis coarctata* is the same).
Calamagrostis sylvatica.—Bunch-
 grass.
 Calf-kill.—*Holcus lanatus*.
 California Brome-grass.—*Bromus ca-
 rinatus*.
 California Oat-grass.—*Danthonia Cali-
 fornia*.
 California Timothy.—*Phalaris inter-
 media*, variety *angusta*.
 Canada Lyme-grass.—*Elymus Cana-
 densis*.
 Canadian Small-Reed.—*Calamagrostis
 Canadensis*.
 Canary-grass.—Generic name for spe-
 cies of *Phalaris*; applied espe-
 cially to *Phalaris canariensis*.
 Canary-grass, Reed.—*Phalaris arun-
 dinacea*.
 Canary-grass, Southern.—*Phalaris in-
 termedia*.
 Canary-grass, Stewart's.—*Phalaris in-
 termedia*.
 Candy-grass.—*Eragrostis minor*.
 Cane.—*Arundinaria gigantea*, Chapm.
 Cane, African.—*Pennisetum spicatum*,
 the same as *Pennisetum typhoi-
 deum*, Pers.
 Cane, Chinese Sugar.—*Sorghum sac-
 charatum*, *S. vulgare*.
 Cane, Large.—*Arundinaria gigantea*.
 Cane, Maiden.—*Panicum Curtissii*.
 Cane, Small.—*Arundinaria tecta*, *Pa-
 nicum divaricatum*.
 Cane, Sugar.—*Sorghum vulgare*.
 Carpet-grass.—*Sporobolus Indicus*
 (Phares).
 Catch-fly-grass.—*Leersia lenticularis*.
 Cat's-tail-grass.—*Phleum pratense*.
 Cat-tail Millet.—*Pennisetum spicatum*,
Setaria Italica.
Cenchrus echinatus, Linn.—Cock-
 spur.

- Cenchrus tribuloides**, Linn.—Sand-bur, Sand-spur, Hedge-hog grass, Bur-grass, Cock-spun Bur.
Chandler's grass.—*Agropyrum repens*.
Cheat.—*Bromus secalinus*.
Chess.—*Bromus secalinus*.
Chess, Soft.—*Bromus mollis*.
Chess, Swamp.—*Bromus ciliatus*.
Chess, Upright.—*Bromus racemosus*.
Chess, Wild.—*Bromus Kalmii*.
Chicken Corn.—*Sorghum cernuum*.
Chinese Sugar Corn.—*Sorghum saccharatum*, *S. vulgare*.
Chinese Wheat.—*Sorghum vulgare*.
Chocolate Corn.—*Sorghum vulgare*.
Chrysopogon nutans, Benth.—Same as *Andropogon nutans*, Linn.
Chloris petraea.—Sea-side Finger-grass. (*Eustachys petraea* is the same.)
Cinna arundinacea, Linn.—Indian Reed, Wood Reed-grass, Sweet Reed.
Cinna pendula, Trin.—Slender Reed-grass, Drooping Reed-grass.
Close-flowered Drop-seed grass.—*Sporobolus compressus*.
Cock's-foot, Rough.—*Dactylis glomerata*.
Cluster-flowered Beard-grass.—*Andropogon macrourus*.
Cock's-foot.—*Panicum Crus-galli*.
Cockspur.—*Cenchrus echinatus*.
Cockspur Bur.—*Cenchrus tribuloides*.
Coix lachryma, Linn.—Job's Tears, Tear-grass, Corn Beads.
Colorado-grass.—*Panicum Texanum*.
Colorado Blue-stem.—*Agropyrum glaucum*.
Comb-grass, Meadow.—*Eragrostis pectinacea*.
Common Manna-grass.—*Glyceria fluitans*.
Common Meadow-grass.—*Poa trivialis*.
Common Sea-Reed.—*Ammophila arundinacea*.
Cord-grass, Freshwater.—*Spartina cynosuroides*.
Corn Beads.—*Coix lachryma*.
Corn, Broom.—*Sorghum saccharatum*, now called *Andropogon Sorghum*, variety *saccharatus*, Hack.
Corn, Chicken.—*Sorghum cernuum*.
Corn, Chocolate.—*Sorghum vulgare*, var.
Corn, Dura.—*Sorghum vulgare*; see *Andropogon Sorghum*, var. *vulgaris*.
Corn, Guinea.—*Sorghum cernuum*, same as *Andropogon Sorghum*, var. *cernuum*, Hack.
Corn, Indian.—*Zea Mays*.
- Corn, White Egyptian.—*Sorghum cernuum*.
Couch-grass.—*Agropyrum repens*.
Crab-grass.—*Panicum sanguinale*, *Schedonnardus Texanus*, *Eleusine Indica*.
Crab-grass, Slender.—*Panicum filiforme*.
Crab-grass, Sprouting.—*Panicum proliferum*.
Crab-grass, Texan.—*Schedonnardus Texanus*.
Creeping Beard-grass.—*Oplismenus satarius*, also called *Panicum hirtellum*.
Creeping Bent-grass.—*Agrostis stolonifera*.
Creeping Meadow-grass.—*Eragrostis reptans*.
Creeping Poa.—*Poa compressa*.
Creeping Sea Spear-grass.—*Glyceria maritima*.
Creeping Soft-grass.—*Holcus mollis*.
Creeping Spear-grass.—*Poa compressa*.
Creeping Wheat-grass.—*Agropyrum repens*, (*Triticum repens*).
Crested Dog's-tail-grass.—*Cynosurus cristatus*.
Crop-grass.—*Eleusine Indica*. (Crab-grass is probably a corruption of Crop-grass.)
Crow-foot-grass.—*Eleusine Indica*, *Dactyloctenium Ägyptiacum*.
Ctenium Americanum, Spreng.—Toothache-grass, Lemon-grass.
Cuba-grass.—*Sorghum Halapense*.
Cut-grass.—*Leersia oryzoides*.
Cut-grass, European.—*Leersia oryzoides*.
Cut-grass, Rice.—*Leersia oryzoides*.
Cut-grass, Virginia.—*Leersia Virginica*.
Cynodon Dactylon, Pers.—Bermuda grass, Reed-grass, Scutch-grass, Dog's-tooth-grass, Wire-grass.
Cynosurus cristatus.—Crested Dog's tail grass.
Dactylis glomerata, Linn.—Orchard grass, Rough Cock's-foot.
Dactyloctenium Ägyptiacum, Willd.—Crow-foot grass, Egyptian-grass.
Danthonia Californica, Boland.—California Oat-grass.
Danthonia compressa, Austin.—Tennessee Oat-grass, Mountain Oat-grass.
Danthonia sericea, Nutt.—Silky Oat-grass, Taller Wild Oat-grass, Silky-flowered Oat-grass.
Danthonia spicata, Beauv.—Wild Oat-grass, White-top, Old Fog, June-grass, Poverty-grass.

- Danthonia unispicata**,—Mountain Oat-grass.
Darnel.—*Lolium temulentum*.
Darnel, Bearded.—*Lolium temulentum*.
Darnel, Fescue.—*Festuca lolacea*.
Deer-grass.—*Epicampes rigens*.
Dennett-grass.—*Elymus striatus*.
Deschampsia cæspitosa, Beauv.—Tufted Hair-grass. (This is the same as *Aira cæspitosa*).
Deschampsia flexuosa, Griseb.—Hair-grass, Wood Hair-grass.
Desert-grass.—Generic name applied to species of *Eremochloe* (*Blepharidachne*, Hack.).
Devil's-grass.—*Agropyrum repens*.
Devil's Darning-needles.—*Stipa spartea*.
Devil's Knitting-needles.—*Stipa spartea*.
Dew-grass.—*Agrostis alba*.
Dew-grass, Summer.—*Agrostis vulgaris*.
Deyeuxia Canadensis, Hook.—*Calamagrostis Canadensis*, which see.
Diarrhena Americana, Beauv.—Twin-grass.
Diplachne fascicularis, Beauv.—Spike-grass.
Distichlis maritima, Rafin. (*Brizopyrum spicatum*).—Salt-grass, Sand grass, Alkali-grass, Spike-grass, Quack-grass.
Dog or Dog's-grass.—*Agropyrum repens*.
Dog's Bent.—*Agrostis canina*.
Dog's-tail grass.—*Eleusine Indica*.
Dog's-tail grass, Crested.—*Cynosurus cristatus*.
Dog's-tooth grass.—*Cynodon Dactylon*, *Eleusine Indica*.
Downy Oat-grass.—*Avena pubescens*.
Downy Persoon.—*Trisetum subspicatum*, var. *molle*.
Downy Triple-awn.—*Aristida stricta*.
Drooping Reed-grass.—*Cinna pendula*.
Drop-seed grass.—Generic name for species of *Sporobolus*; also applied to species of *Muhlenbergia* (e.g. *Sporobolus compressus*, *Muhlenbergia Mexicana*).
Drop-seed grass, Late.—*Sporobolus serotinus*.
Drop-seed grass, Rush-like.—*Sporobolus junceus*.
Duck-grass.—*Poa serotina*.
Durfa or Durfee-grass.—*Agropyrum repens*.
Durra Corn.—*Sorghum vulgare*.
Dutch-grass.—*Agropyrum repens*.
Dwarf Meadow-grass.—*Poa annua*.
Early Bunch-grass.—*Eatonia obtusata*.
Early Meadow-grass.—*Poa annua*.
- Early Mesquit.—*Buchloe dactyloides*.
Early Wild Oat-grass.—*Aira (Avena) praecox*.
East Indian Millet.—*Pennisetum spicatum*.
Eaton's grass.—*Eatonia Pennsylvanica*.
Eatonia obtusata, Gray.—Early Bunch-grass, Prairie-grass.
Eatonia Pennsylvanica, Gray.—Eaton's grass.
Egyptian - grass.—*Dactyloctenium Egyptiacum*, *Sorghum Halapense*.
Egyptian Millet.—*Pennisetum spicatum*, *Sorghum Halapense*.
Eleusine Indica, Gaertn.—Goose-grass, Dog's-tail grass, Yard-grass, Crow-foot grass, Wire-grass, Crab-grass, Crop-grass, Dog's-tooth grass, Buzzard-grass,
Elymus arenarius, Linn.—Upright Sea-Lyme-grass.
Elymus Canadensis, Linn.—Canada Lyme-grass, Wild Rye, Terrell-grass.
Elymus condensatus, Presl.—Giant Rye-grass, Rye-grass, Western Rye-grass.
Elymus Sibiricus.—Siberian Lyme-grass.
Elymus striatus, Willd.—Dennett-grass, Slender Hairy Lyme-grass.
Elymus triticoides, Nutt.—Wild Wheat, Wild Rye.
Elymus Virginicus, Linn.—Lyme-grass, Smooth Rye-grass, Terrell grass, Wild Rye, Virginia Lyme-grass.
English grass.—*Poa pratensis*.
English Bent-grass.—*Agrostis alba*.
English Blue-grass.—*Festuca elatior*.
English Rye or Ray-grass.—*Lolium perenne*.
Epicampes rigens, Benth.—Deer-grass.
Eragrostis Frankii, Meyer.—Short-stalked Meadow-grass.
Eragrostis major, Host.—Stink-grass, Pungent Meadow-grass.
Eragrostis minor, Host.—Candy-grass, Strong-scented Meadow-grass, Stink-grass.
Eragrostis pectinacea, Gray.—Meadow Comb-grass.
Eragrostis pilosa, Linn.—Slender Meadow-grass.
Eragrostis Purshii, Schrad.—Southern Spear-grass, Southern Eragrostis.
Eragrostis reptans, Nees.—Creeping Meadow-grass.
Eragrostis tenuis, Gray.—Branching Spear-grass.

- Erianthus saccharoides**, Michx.—Plume-grass, Woolly Beard-grass, Fox-tail.
- Euchlæna luxurians**.—Teosinte, Gautemala-grass.
- European Cut-grass.—*Leersia oryzoides*.
- Eustachys petræa**.—See *Chloris petræa*.
- Evergreen-grass.—*Arrhenatherum avenaceum*; more rarely applied to *Festuca elatior*.
- Evergreen Millet.—*Sorghum Halapense*.
- Fall Marsh-grass.—*Spartina cynosuroides*.
- Fall Red-top.—*Triodia cupræa* (*Tricuspidata seslerioides*).
- False Buffalo-grass.—*Munroa squarrosa*.
- False Guinea-grass.—*Sorghum Halapense*.
- False Mesquit.—*Buchloe dactyloides*.
- False Oat-grass.—*Arrhenatherum avenaceum*.
- False Red-top.—*Poa serotina*.
- False Rice.—*Leersia oryzoides*.
- Feather-grass.—Generic name for species of *Stipa*, applied especially to *Stipa pennata*. Also applied to *Leptochloa mucronata* and *Holcus lanatus*.
- Feather Bunch-grass.—*Stipa viridula*.
- Fescue Grass.—Generic name for species of *Festuca*.
- Fescue, Darnel.—*Festuca loliacea*.
- Fescue, Hard.—*Festuca duriuscula*.
- Fescue, Meadow.—*Festuca pratensis*.
- Fescue, Nodding.—*Festuca nutans*.
- Fescue, Sheep's.—*Festuca orina*.
- Fescue, Small.—*Festuca microstachya*.
- Fescue, Spiked.—*Festuca loliacea*.
- Fescue, Tall.—*Festuca elatior*.
- Fescue, Tall Meadow.—*Festuca elatior*.
- Fescue, Western.—*Festuca microstachya*.
- Fescue, Wild.—*Uniola latifolia*.
- Festuca duriuscula**, Lam.—Hard Fescue.
- Festuca elatior**, Linn.—Tall Fescue, Tall Meadow Fescue, English Blue-grass, Randall-grass, Evergreen-grass.
- Festuca loliacea**.—Darnel Fescue, Spiked Fescue.
- Festuca microstachya**, Nutt.—Western Fescue, Small Fescue.
- Festuca nutans**, Willd.—Nodding Fescue.
- Festuca ovina**, Linn.—Sheep's Fescue, Pinon-grass (in Nevada), Pine Bunch-grass.
- Festuca pratensis**, Linn.—Meadow Fescue, Randall grass.
- Festuca scabrella**, Torr.—Buffalo Bunch-grass, Great Bunch-grass.
- Festuca tenella**.—Slender Fescue.
- Festuca unioloides**.—Same as *Bromus unioloides*, which see.
- Festuca**, sp.—Pine Bunch-grass.
- Fibrous-rooted Wheat-grass.—*Agropyrum caninum*.
- Fin's grass.—*Agropyrum repens*.
- Fine Bent.—*Agrostis vulgaris*.
- Fine-top.—*Agrostis vulgaris* and *A. canina* and *Sporobolus airooides*.
- Finger-grass.—*Panicum sanguinale*.
- Finger-grass, Hairy.—*Panicum sanguinale*.
- Finger-grass, Sea-side.—*Chloris petræa*.
- Finger-spiked Beard-grass.—*Andropogon provincialis*. (*A. furcatus* is the same.)
- Finger-spiked Indian grass.—*Andropogon provincialis*.
- Finger-spiked Wood-grass.—*Andropogon provincialis*.
- Fiorin.—*Agrostis stolonifera*; also *A. alba*.
- Flat-stalked or Flat-stemmed grass.—*Poa compressa*.
- Flat-stalked Blue-grass.—*Poa compressa*.
- Floating-grass.—*Hydrochloa Carolinensis*.
- Floating Fox-tail.—*Alopecurus geniculatus*.
- Floating Manna-grass.—*Glyceria fluitans*.
- Fly-away-grass.—*Agrostis scabra*.
- Fly-catch-grass.—*Leersia lenticularis*.
- Fog, Old.—*Danthonia spicata*.
- Fool-hay.—*Panicum capillare* and *Agrostis scabra*.
- Fowl Meadow-grass.—*Glyceria nervata*, *Poa serotina*, and *Calamagrostis Canadensis*.
- Fox-tail.—*Setaria glauca*, *Erianthus saccharoides* (*E. alopecuroides*), *Trichloris verticillata*, and *Hordeum jubatum*, and species of *Alopecurus*.
- Fox-tail, Branching.—*Trichloris verticillata*.
- Fox-tail, Bristly.—*Setaria verticillata* and *S. Germanica*.
- Fox-tail, Floating.—*Alopecurus geniculatus*.
- Fox-tail, Green.—*Setaria viridis*.
- Fox-tail, Large.—*Setaria composita*.
- Fox-tail, Meadow.—*Alopecurus pratensis*.
- Fox-tail, Slender.—*Alopecurus agrestis*.
- Fox-tail, Wild Water.—*Alopecurus aristulatus*.

- Fox-tail, Wrinkled.—*Setaria corrugata*.
 Fox-tail, Yellow.—*Setaria glauca*.
 French Rye-grass.—*Arrhenatherum arenaceum*.
 Fresh-water Cord-grass.—*Spartina cynosuroides*.
 Fringed Brome-grass.—*Bromus ciliatus*.
 Furze-top.—*Agrostis vulgaris* and *A. canina*.

 Gama-grass.—*Tripsacum dactyloides*.
Gastridium australe, Beauv.—Nit-grass.
 German Millet.—*Setaria Germanica*.
 Giant Rye-grass.—*Elymus condensatus*.
 Gilbert's Relief-grass.—*Phalaris intermedia*.
Glyceria aquatica.—Reed Meadow-grass, White Spear-grass.
Glyceria Canadensis, Trin.—Rattle-snake-grass, Tall Quacking-grass.
Glyceria fluitans, R. Br.—Floating Manna-grass, Common Manna-grass.
Glyceria maritima, Wahlen.—Sea Spear-grass, Creeping Sea Spear-grass, Creeping Sea Meadow-grass, Goose-grass.
Glyceria nervata, Trin.—Fowl Meadow-grass, Meadow Spear-grass, Nerved Manna-grass.
Glyceria pallida, Trin.—Pale Manna-grass.
 Golden Millet.—*Setaria Italica* var.
 Golden Oat-grass.—*Avena flavescens*.
 Goose-grass.—*Eleusine Indica*, *Glyceria maritima*, *Panicum Texanum*, *Poa annua*.
 Grama.—Generic name for species of *Bouteloua*. Applied sometimes to *Muhlenbergia Texana*.
 Grama, Black.—*Bouteloua oligostachya*, *Muhlenbergia pungens*, *Bouteloua hirsuta*.
 Grama, Blue.—*Bouteloua oligostachya*.
 Grama, China.—*Muhlenbergia pungens*.
 Grama, Low.—*Bouteloua polystachya*.
 Grama, Tall.—*Bouteloua hirsuta*, *Bouteloua racemosa*.
 Grama, White.—*Bouteloua oligostachya* variety, and a species of *Aristida*.
 Grama, Woolly-jointed.—*Bouteloua eriopoda*.
 Grape-vine Mesquit or Grape-vine grass.—*Panicum obtusum*.
 Grass-of-the-Andes.—*Arrhenatherum arenaceum*.
 Great Bunch-grass.—*Festuca scabrella*.
 Great Millet.—*Sorghum vulgare*.
 Green Fox-tail.—*Setaria viridis*.

 Green grass.—*Poa pratensis*, *Poa trivialis*.
 Green Pigeon-grass.—*Setaria viridis*.
 Green Valley-grass.—*Sorghum Halapense*.
 Gautemala-grass.—*Euchlaena luxurians*.
 Guinea Corn.—*Sorghum cernuum*.
 Guinea-grass.—*Panicum jumentorum*; erroneously applied to *Sorghum Halapense*.
 Guinea-grass, Alabama.—*Sorghum Halapense*.
 Guinea-grass, False.—*Sorghum Halapense*.
 Gumbo-grass.—*Agropyrum glaucum*.
 "Guyetta."—*Hilaria Jamesii*.
Gymnopogon brevifolius, Trin.—Short-leaved Beard-grass.
Gymnopogon racemosus, Beauv.—Naked Beard-grass.

 Hard Fescue.—*Festuca duriuscula*.
 Hard-grass.—*Stenotaphrum Americanum*.
 Hair-grass.—Generic name for species of *Deschampsia* (*Aira*). Applied to *Deschampsia flexuosa*, *Agrostis scabra* and *Muhlenbergia capillaris*.
 Hair-grass, Bunch.—*Muhlenbergia Triochopodes*.
 Hair-grass, Muhlenberg's.
 Hair-grass, Sea-side.—*Muhlenbergia capillaris*.
 Hair-grass, Tufted.—*Deschampsia cespitosa*.
 Hair-grass, Wood.—*Deschampsia flexuosa*.
 Hairy Finger-grass.—*Panicum sanguinale*.
 Hairy-flowered Paspalum.—*Paspalum ovatum*.
 Hairy Muskit.—*Bouteloua racemosa*.
 Hare's-grass.—*Aristida Californica*.
 Hedge-hog grass.—*Asprella hystrix* and *Cenchrus tribuloides*.
 Herd's-grass.—*Agrostis alba*, *Agrostis vulgaris*, and *Pleum pratense*.
Hierochloe borealis, R. & S.—Villa-grass; Seneca-grass, Holy-grass, Sweet-grass.
Hilaria cenchroides, H. B. K.—Running Mesquit.
Hilaria Jamesii, Benth.—Black Bunch-grass, "Guyetta."
Holcus lanatus, Linn.—Velvet-grass, Velvet Meadow Soft-grass, Velvet Mesquit, Velvet Lawn-grass, Meadow Soft-grass, Woolly Soft-grass, White Timothy, Yorkshire White, Yorkshire Fog, Salem-grass, Feather-grass, Calf-kill, Hungarian Blue-grass.

- Holcus mollis**, Linn.—Creeping Soft-grass.
 Holy-grass.—*Hierochloa borealis*.
Hordeum jubatum, Linn.—Squirrel-tail grass, Fox-tail.
Hordeum pratense, Huds.—Wild Barley, Squirrel-tail grass.
Hordeum pusillum, Nutt.—Barley-grass.
 Horse Millet.—*Pennisetum (Penicillaria) spicatum*.
 Howell's grass.—*Calamagrostis Howellii*.
 Hungarian grass.—*Setaria Germanica*.
 Hungarian Blue-grass.—*Holcus lanatus*.
Hydrochloa Carolinensis, Beauv.—Floating-grass.
 Indian Corn.—*Zea Mays*.
 Indian-grass.—*Sorghum nutans* (*Andropogon nutans*), *Sorghum avenaceum* (*Andropogon nutans* var. *avenaceus*), and *Andropogon scoparius*.
 Indian-grass, Finger-spiked.—*Andropogon provincialis*.
 Indian-grass, Oat-like.—*Sorghum nutans*.
 Indian Millet.—*Oryzopsis cuspidata*, *Pennisetum spicatum*, *Sorghum vulgare*, *Setaria Italica*.
 Indian Reed.—*Cinna arundinacea*.
 Indian Rice.—*Zizania aquatica*.
 Italian Rye-grass.—*Lolium Italicum*.
 Ivory Wheat.—*Sorghum vulgare*.
 Japan Millet.—*Pennisetum spicatum*.
 Job's Tears.—*Coix lachryma*.
 Johnson-grass.—*Sorghum Halapense*.
 Joint-grast.—*Paspalum distichum*.
 June-grass.—*Poa pratensis*, *Koeleria cristata*, *Danthonia spicata*.
 June-grass, Wild.—*Koeleria cristata*.
 Kentucky Blue-grass.—*Poa pratensis*.
 Knot-grass.—*Paspalum distichum*.
 Knot-root grass—*Muhlenbergia Mexicana*.
Koeleria cristata, Pers.—Wild June grass, June-grass, Prairie-grass.
 Large Cane.—*Arundinaria gigantea*.
 Large Crow-foot grass.—*Panicum Crus-galli*.
 Large Fox-tail.—*Setaria composita*.
 Large, White-grained Mountain Rice.—*Oryzopsis asperifolia*.
 Late Drop-seed grass.—*Sporobolus se-rotinus*.
 Lawn-grass, Velvet.—*Holcus lanatus*.
Leersia lenticularis, Mx.—Catch-fly grass, Fly-catch grass.
Leersia oryzoides, Swz.—Rice Cut-grass, Rice grass, Cut-grass, False Rice, White-grass, European Cut-grass, Prickle-grass.
Leersia Virginica, Willd.—Virginia Cut-grass, White-grass, Small-flowered White-grass.
 Lemon-grass.—*Ctenium Americanum*.
Leptocholoa mucronata.—Feather-grass.
Lepturus paniculatus, Nutt.—Same as *Schedonnardus Texanus* (which see).
 Little Blue-stem grass.—*Andropogon scoparius*.
 Lizard-tail grass.—*Manisurus granularis*.
Lolium Italicum.—Italian Rye-grass.
Lolium perenne, Linn.—Perennial Rye-grass, Ray or Rye-grass, Darnel, English Rye-grass.
Lolium temulentum, Linn.—Darnel, Poison Rye-grass, Bearded Darnel. Long-awned Poverty-grass.—*Aristida tuberculosa*.
 Louisiana Grass.—*Paspalum platycarpe*.
 Low Grama.—*Bouteloua polystachya*.
 Low Spear-grass.—*Poa annua*.
 Lyme-grass.—Generic name for species of *Elymus*, applied especially to *Elymus Virginicus*.
 Lyme-grass, Canada.—*Elymus Canadensis*.
 Lyme-grass, Slender Hairy.—*Elymus striatus*.
 Lyme-grass, Upright Sea.—*Elymus arenarius*.
 Lyme-grass, Siberian.—*Elymus Sibiricus*.
 Lyme-grass, Virginian.—*Elymus Virginicus*.
Manisurus granularis.—Lizard-tail grass.
 Maiden Cane.—*Panicum Curtissi*.
 Maize.—*Zea Mays*.
 Manna-grass.—Generic name for species of *Glyceria*. Applied in Germany to *Panicum sanguinale*.
 Manna-grass, Common.—*Glyceria fluitans*. This is also called Floating Manna-grass.
 Manna-grass, Nerved.—*Glyceria nervata*.
 Manna-grass, Pale.—*Glyceria pallida*.
 Marsh-grass.—*Spartina cynosuroides*, *Spartina glabra*.
 Marsh-grass, Fall.—*Spartina cynosuroides*.
 Marsh-grass, Rough.—*Spartina glabra*.

- Marsh-grass, Salt.—*Spartina stricta*,
Spartina juncea.
- Marsh-grass, Smooth.—*Spartina alterniflora*.
- Marsh Bent.—*Agrostis alba*.
- Marsh Oat-grass.—*Trisetum palustre*.
- Mat-grass.—*Amnophila arundinacea*.
- Maton.—*Sporobolus Wrightii*.
- May-grass.—*Poa annua*.
- Meadow-grass, Alpine.—*Poa laxa*.
- Meadow-grass, Annual.—*Poa annua*.
- Meadow-grass, Common.—*Poa trivialis*.
- Meadow-grass, Creeping.—*Eragrostis reptans*.
- Meadow-grass, Creeping Sea.—*Glyceria maritima*.
- Meadow-grass, Dwarf.—*Poa annua*.
- Meadow-grass, Early.—*Poa annua*.
- Meadow-grass, Flat-stalked.—*Poa compressa*.
- Meadow-grass, Fowl.—*Glyceria nervata*, *Poa serotina*, *Calamagrostis Canadensis*.
- Meadow-grass, Pungent.—*Eragrostis major*.
- Meadow-grass, Reed.—*Glyceria aquatica*.
- Meadow-grass, Rough-stalked.—*Poa trivialis*.
- Meadow-grass, Rough.—*Poa trivialis*.
- Meadow-grass, Short-stalked.—*Eragrostis Frankii*.
- Meadow-grass, Slender.—*Eragrostis pilosa*.
- Meadow-grass, Smooth.—*Poa pratensis*.
- Meadow-grass, Smooth-stalked.—*Poa pratensis*.
- Meadow-grass, Strong-scented.—*Eragrostis minor*.
- Meadow-grass, Wavy.—*Poa laxa*.
- Meadow Cat's-tail grass.—*Phleum pratense*.
- Meadow Comb-grass.—*Eragrostis pectinacea*.
- Meadow Fescue.—*Festuca pratensis*.
- Meadow Fox-tail.—*Alopecurus pratensis*.
- Meadow Oat-grass.—*Arena pratensis*.
- Meadow Soft-grass.—*Holcus lanatus*.
- Meadow Soft-grass, Velvet.—*Holcus lanatus*.
- Meadow Spear-grass.—*Glyceria nervata*.
- Mean's Grass.—*Sorghum Halapense*.
- Melic grass.—*Melica mutica*.
- Melica mutica**, Walt.—Melic grass.
- Meskit grass.—*Bouteloua hirsuta*, *Buchloa dactyloides*.
- Mesquit grass.—Applied generally to species of *Bouteloua*, (e. g. *Boute-*
- loua Texana*), and to *Aristida purpurea*.
- Mesquit, Grape-vine.—*Panicum obtusum*.
- Mesquit, Bristly.—*Bouteloua hirsuta*.
- Mesquit, Early.—*Buchloe dactyloides*.
- Mesquit, False.—*Buchloe dactyloides*.
- Mesquit, Running or Creeping.—*Hilaria cenchroides*.
- Mesquit, Velvet.—*Holcus lanatus*.
- Mesquit, Vine.—*Panicum obtusum*.
- Mezquit-grass.—Same as Mesquit grass.
- Millet, African.—*Pennisetum spicatum*.
- Millet, Arabian Evergreen.—*Andropogon Sorghum* var. *Halapensis* (*Sorghum Halapense*).
- Millet, Australian.—Same as Arabian Evergreen.
- Millet, Cat-tail.—*Setaria Italica*, *Pennisetum spicatum*.
- Millet, Common.—*Panicum Milaceum*, *Pennisetum spicatum*, *Milium effusum*.
- Millet, East Indian.—*Pennisetum spicatum*.
- Millet, Egyptian.—*Pennisetum spicatum*, *Andropogon Sorghum*.
- Millet, Evergreen.—*Sorghum Halapense*.
- Millet, German.—*Setaria Germanica*.
- Millet, Golden.—*Setaria Italica*, var.
- Millet, Great.—*Sorghum vulgare*.
- Millet, Horse.—*Pennisetum spicatum*.
- Millet, Indian.—*Oryzopsis (Eriocoma) cuspidata*, *Sorghum vulgare*, *Pennisetum spicatum*, and *Setaria Italica*.
- Millet, Japan.—*Pennisetum spicatum*.
- Millet, Morocco.—*Sorghum Halapense*.
- Millet, Pearl.—*Pennisetum spicatum*.
- Millet, Polish.—*Panicum sanguinale*.
- Millet-grass, Wild.—*Milium effusum*, *Oryzopsis cuspidata*, (*Eriocoma cuspidata*), and *Setaria viridis*.
- Milium effusum**, Linn.—Wild Millet, Millet-grass.
- Montana Rye.—*Triticum Polonicum*.
- Morocco Millet.—*Sorghum Halapense*.
- Mosquit grass.—*Bouteloua oligostachya*.
- Mountain Oat-grass.—*Danthonia compressa*, *Danthonia unispicata*.
- Mountain Poa.—*Poa alpina*.
- Mountain Red-top.—*Agrostis exarata*, *A. canina*.
- Mountain Rice.—Generic name for species of *Oryzopsis*.—*Oryzopsis asperifolia*.
- Mountain Rice, Black-fruited.—*Oryzopsis melanocarpa*.

- Mountain Rice, Large, White-grained.—*Oryzopsis asperifolia*.
 Mountain Rice, Small.—*Oryzopsis Canadensis*.
 Mountain Spear-grass.—*Poa andina*.
Poa alpina.
 Mountain Timothy.—*Alopecurus occidentalis*, *Phleum alpinum*.
Muhlenbergia capillaris, Kth.—Seaside Hair-grass, Muhlenberg's Hair-grass.
Muhlenbergia diffusa, Schreb.—Nimble Will, Wire grass, Drop-seed grass.
Muhlenbergia glomerata, Trin.—Muhlenberg's grass, Satin grass, Wild Timothy.
Muhlenbergia Mexicana, Trin.—Drop-seed grass, Wood grass, Knot-root grass.
Muhlenbergia pungens, Thurb.—Black Grama, Grama China.
Muhlenbergia Texana, Thurb.—Grama.
Muhlenbergia trichopodes, Chapm.—Bunch Hair-grass.
 Munro grass.—*Panicum agrostoides*.
Munroa squarrosa, Torr.—False Buffalo-grass.
 Muskit grass.—*Bouteloua racemosa* (*B. curtipendula*), *Bouteloua hirsuta*, *Bouteloua oligostachya*.
 Naked Beard-grass.—*Gymnopogon recemosus*.
 Native Timothy.—*Phleum alpinum*.
 Needle-grass.—*Stipa comata*.
 Needle-and-thread.—*Stipa comata*.
 Nerved Manna-grass.—*Glyceria nervata*.
 Nimble Will.—*Muhlenbergia diffusa*.
 Nit grass.—*Gastridium australe*.
 Nodding Fescue.—*Festuca nutans*.
 Northern Red-top.—*Agrostis exarata*.
 Oat-grass.—*Arrhenatherum avenaceum*.
 Oat-grass, Black.—*Stipa avenacea*.
 Oat-grass, California.—*Danthonia Californica*.
 Oat-grass, Downy.—*Avena pubescens*.
 Oat-grass, Early Wild.—*Aira precox*.
 Oat-grass, False.—*Arrhenatherum avenaceum*.
 Oat-grass, Golden.—*Avena flavaescens*.
 Oat-grass, Marsh.—*Trisetum palustre*.
 Oat-grass, Meadow.—*Avena pratensis*.
 Oat-grass, Mountain.—*Danthonia compressa*.
 Oat-grass, Purple-Wild.—*Avena striata*.
 Oat-grass, Silky-flowered.—*Danthonia sericea*.
 Oat-grass, Spiked Wild.—*Danthonia spicata*.
 Oat-grass, Tall.—*Arrhenatherum avenaceum*.
 Oat-grass, Tall Meadow.—*Arrhenatherum avenaceum*.
 Oat-grass, Taller Wild.—*Danthonia sericea*.
 Oat-grass, Tennessee.—*Danthonia compressa*.
 Oat-grass, Wild.—Applied to species of *Danthonia*; *Stipa viridula*,
 Oat-grass, Yellow.—*Avena flavaescens*.
 Oat-like Indian grass.—*Sorghum nutans*.
 Oat-like Sorghum.—*Sorghum avenaceum*.
 Oats, Australian.—*Bromus unioloides*.
 Oats, Sea-side.—*Uniola paniculata*.
 Oats, Sand.—*Avena fatua*.
 Oats, Water.—*Zizania aquatica*.
 Oats, Wild.—*Uniola latifolia*, *Zizania miliiacea*, *Avena fatua*, *Calamagrostis Nuttalliana*.
 Old Fog.—*Danthonia spicata*.
 Old Witch-grass.—*Panicum capillare*.
Opismenus setarius, R. & S.—Creeping Beard-grass.
 Orchard grass.—*Dactylis glomerata*.
 Orcheston grass.—*Poa trivialis*.
 Oregon Rice.—*Sorghum vulgare*.
Oryzopsis asperifolia, Mx.—Mountain Rice, Large, white-grained Mountain Rice.
Oryzopsis Canadensis, Torr.—Small Mountain Rice.
Oryzopsis cuspidata, Scribn.—Indian Millet, Bunch grass, Wild Millet, Sand-grass.
Oryzopsis melanocarpa, Muhl.—Black-fruited Mountain Rice.
 Pale Manna-grass.—*Glyceria pallida*.
 Pampas Rice.—*Sorghum vulgare*.
 Panic grass.—Generic name for species of *Panicum*.
 Panic grass, Bitter.—*Panicum amarum*.
 Panic Bent-grass.—*Panicum agrostoides*.
Panicum agrostoides, Muhl.—Panic Bent-grass, Munro-grass, Red-top, Panic-grass.
Panicum amarum, Ell.—Bitter Panic-grass.
Panicum barbinode, Trin.—Same as *P. molle* Sw.
Panicum capillare, Linn.—Old Witch-grass, Fool-hay.
Panicum Crus-galli, Linn.—Barn-grass, Barn-yard grass, Cock's foot, Water-grass, Large Crowfoot-grass.
Panicum Curtissii, Chapm.—Maiden Cane, Simpson's grass.

- Panicum divaricatum**, Linn.—Branching Panic, Small Cane.
- Panicum filiforme**.—Slender Crab-grass.
- Panicum hirtellum**.—Same as *Oplismenus setarius*, R. & S.
- Panicum jumentorum**, Pers. (*P. maximum* Jacq.)—Guinea-grass, St. Mary's grass.
- Panicum miliaceum**, Linn.—Common Millet, Millet.
- Panicum molle**, Sw. (*P. barbinode*)—Para grass, Yerba de Para, Spanish grass.
- Panicum proliferum**, Lam.—Sprouting Crab-grass.
- Panicum obtusum**, H. B. K.—Vine Mesquit, Grape-vine Mesquit, Grape-vine grass.
- Panicum sanguinale**, Linn.—Crab-grass, Finger-grass, Hairy Finger grass, Manna grass, Polish Millet.
- Panicum Texanum**, Buckl.—Texas Millet, Bottom grass, Colorado grass, River-grass, Goose-grass, Buffalo-grass, Austin-grass.
- Panicum virgatum**, Linn.—Switch-grass, Wild Red-top, Black Bent.
- Para grass.—*Panicum molle* (*P. barbinode*.)
- Paspalum distichum**, Linn.—Knot grass, Joint-grass.
- Paspalum ovatum**.—Hairy-flowered Paspalum.
- Paspalum platycaule**, Poir.—Louisiana grass.
- Paspalum plicatulum**, Michx.—Bull grass, Purple Paspalum, (Same as *P. undulatum*.)
- Paspalum undulatum**.—See *P. plicatulum*.
- Pearl Millet.—*Pennisetum spicatum*.
- Penicillaria spicata**.—Same as *Pennisetum spicatum*.
- Pennisetum spicatum**.—Pearl Millet, Japan Millet, Cat-tail Millet, East India Millet, Horse Millet, Egyptian Millet, Indian Millet, African Millet, African Cane. Perennial Rye-grass.—*Lolium perenne*.
- Phalaris arundinacea**, Linn.—Reed Canary-grass, Ribbon-grass.
- Phalaris Canariensis**, Linn.—Canary-grass.
- Phalaris intermedia**, Bosc.—Southern Canary-grass, California Timothy, Reed Canary-grass, American Canary-grass, Stewart's Canary-grass, Gilbert's Relief-grass.
- Phleum alpinum**, Linn.—Mountain Timothy, Native Timothy.
- Phleum pratense**, Linn.—Timothy, Herd's grass, Cat's-tail-grass, Meadow Cat's-tail-grass, Tame Timothy.
- Phragmites communis**, Trin.—Common Reed or Reed-grass. Pigeon-grass.—*Setaria viridis*. Pigeon-grass, green.—*Setaria viridis*. Pine Bunch-grass.—*Festuca Sp.* Pinon-grass.—*Festuca ovina*. Plume-grass.—*Erianthus saccharoides* (*E. alopecuroides*).
- Poa alpina**, Linn.—Mountain Spear-grass, Mountain Poa.
- Poa alsodes**, Gray.—Wood Spear-grass.
- Poa andina**, Nutt.—Bunch Spear-grass, Bunch-grass, Mountain Spear-grass.
- Poa annua**, Linn.—Low Spear-grass, Spear-grass, Annual Meadow-grass, Dwarf Meadow-grass, Early Meadow-grass, May-grass, Goose-grass, Suffolk-grass.
- Poa arachnifera**, Torr.—Texas Blue-grass.
- Poa Californica**, Vasey.—California Blue-grass.
- Poa compressa**, Linn.—Creeping Spear-grass, Blue grass, Smaller Blue-grass, English Blue-grass, Creeping Poa, Wire-grass, Flat-stalked Meadow-grass, Flat-stalked Blue-grass.
- Poa flexuosa**, Muhl.—Southern Spear-grass.
- Poa laxa**, Haenk.—Wavy Meadow-grass, Alpine Meadow-grass.
- Poa pratensis**, Linn.—Kentucky Blue-grass, Blue-grass, Green-grass, June-grass, Smooth Meadow-grass, Common Spear-grass, Spear-grass, English-grass, Brow-top-grass, Smooth stalked Meadow-grass.
- Poa tenuifolia**, Nutt.—Bunch-grass.
- Poa serotina**, Ehrh.—False Red-top, Fowl Meadow-grass, Duck-grass, Swamp Wire-grass.
- Poa trivialis**, Linn.—Rough Meadow-grass, Roughish Meadow-grass, Rough-stalked Meadow-grass, Green-grass, Orcheston-grass, Common Meadow-grass.
- Poison Rye-grass.—*Lolium temulentum*.
- Polish Millet.—*Panicum sanguinale*.
- Polypogon Monspeliensis**, Desf.—Beard grass.
- Porcupine-grass.—*Stipa spartea*.

- Poverty-grass.—*Aristida dichotoma*, *A. lanata*, *Danthonia spicata*.
 Poverty-grass, Long-awned.—*Aristida tuberculosa*.
 Poverty-grass, Southern.—*Sporobolus vaginæflorus*.
 Poverty-grass, Woolly.—*Aristida lanata*.
 Prairie-grass.—*Sporobolus asper*, *S. vaginæflorus*, *Kæleria cristata*, *Eatonia obtusata*.
 Prairie-grass, Australian.—*Bromus unioloides*.
 Prairie Triple-awn.—*Aristida oligantha*.
 Prickle-grass.—*Leersia oryzoides*.
 Prolific Rice.—*Zizania miliacea* (*Z. zaniopsis*).
 Pungent Meadow-grass.—*Eragrostis major*.
 Purple Bearded-grass.—*Aristida purpurea*.
 Purple Bent.—*Calamagrostis brevipilis* (*Ammophila brevipilis*).
 Purple Paspalum.—*Paspalum plicatum* (*P. undulatum*).
 Purple Sand-grass.—*Triplasis purpurea*.
 Purple-Top.—*Triodia cupræa*, (*Tricuspis seslerioides*).
 Purple Wild-oat.—*Avena striata*.
 Purple Wood-grass.—*Andropogon scoparius*.
 Quack-grass.—*Agropyrum repens* (*Triticum repens*), *Distichlis maritima*.
 Quack-grass.—*Agropyrum glaucum*.
 Quake-grass.—*Agropyrum repens*.
 Quaking-grass.—Generic name for species of *Briza*. *Briza media*.
 Quaking-grass, Tall.—*Glyceria Canadensis*.
 Quick-grass.—*Agropyrum repens*.
 Quitch-grass.—*Agropyrum repens*.
 Randall-grass.—*Festuca pratensis*.
 Rat-tail grass.—*Rottboellia* species.
 Rattlesnake-grass.—*Glyceria Canadensis*.
 Ray-grass.—*Lolium perenne*.
 Ray or Rye-grass, English.—*Lolium perenne*.
 Red Fescue.—*Festuca rubra*.
Redfieldia flexuosa, Vasey.—Blowout-grass.
 Red-top.—*Agrostis vulgaris*, *Calamagrostis Canadensis*.
 Red-top, Fall.—*Triodia cupræa* (*Tricuspis seslerioides*).
 Red-top, False.—*Poa serotina*.
 Red-top, Mountain.—*Agrostis exarata*, *A. canina*.
 Red-top, Northern.—*Agrostis exarata*.
 Red-top, Tall.—*Triodia cupræa*, *Agrostis vulgaris*.
 Red-top, Panic.—*Panicum agrostoides*.
 Red-top, Wild.—*Panicum virgatum*.
 Reed.—*Arundinaria tecta*, *Ammophila arundinacea*.
 Reed-grass.—*Phragmites communis*, *Cynodon Dactylon*, *Andropogon nutans*.
 Reed Bent-grass.—*Calamagrostis Canadensis*.
 Reed, Canadian small.—*Calamagrostis Canadensis*.
 Reed-grass, Drooping.—*Cinna pendula*.
 Reed, Indian.—*Cinna arundinacea*.
 Reed-grass, Salt.—*Spartina polyphylla*.
 Reed, Sea-sand.—*Ammophila arundinacea*.
 Reed-grass, Small.—*Calamagrostis Canadensis*.
 Reed, Sweet.—*Cinna arundinacea*.
 Reed-grass, Wood.—*Cinna arundinacea*.
 Reed Canary-grass.—*Phalaris arundinacea*.
 Reed Meadow-grass.—*Glyceria aquatica*.
 Relief-grass, Gilbert's.—*Phalaris intermedia*.
 Rescue-grass.—*Bromus unioloides*.
 Rhode Island Bent.—*Agrostis vulgaris*, *A. canina*.
 Ribbon-grass.—*Phalaris arundinacea*.
 Rice-grass.—*Leersia oryzoides*.
 Rice, Black-fruited Mountain.—*Oryzopsis melanocarpa*.
 Rice, False.—*Leersia oryzoides*.
 Rice Cut-grass.—*Leersia oryzoides*.
 Rice, Indian.—*Zizania aquatica*.
 Rice, Large White-grained Mountain.—*Oryzopsis asperifolia*.
 Rice, Mountain.—Generic name for species of *Oryzopsis*. *Oryzopsis asperifolia*.
 Rice, Oregon.—*Sorghum vulgare*.
 Rice, Pampas.—*Sorghum vulgare*.
 Rice, Prolific.—*Zizania miliacea*.
 Rice, Small Mountain.—*Oryzopsis Canadensis*.
 Rice, Tuscarora.—*Zizania aquatica*.
 Rice, Water.—*Zizania aquatica*.
 Rice, Wild.—*Zizania aquatica*.
 River-grass.—*Panicum Texanum*.
Rottboellia.—Rat-tail grass.
 Rough Bent-grass.—*Agrostis scabra*.
 Rough Cock's-foot.—*Dactylis glomerata*.
 Rough Marsh-grass.—*Spartina glabra*.
 Rough Meadow-grass.—*Poa trivialis*.
 Roughish Meadow-grass.—*Poa trivalvis*.

- Rough-stalked Meadow-grass.—*Poa trivialis*.
 Running Mesquit.—*Hilaria cenchroides*.
 Rush-grass.—Generic name for species of *Sporobolus* (*Vilfa*).
 Rush-like Drop-seed.—*Sporobolus junceus*.
 Rush Salt-grass.—*Spartina juncea*.
 Rye-grass.—*Elymus Virginicus*, *Lolium perenne*.
 Rye-grass, English.—*Lolium perenne*.
 Rye, Montana.—*Triticum Polonicum*.
 Rye-grass, French.—*Arrhenatherum areaceum*.
 Rye-grass, Giant.—*Elymus condensatus*.
 Rye-grass, Italian.—*Lolium Italicum*.
 Rye-grass, Perennial.—*Lolium perenne*.
 Rye-grass, Poison.—*Lolium temulentum*.
 Rye-grass, Smooth.—*Elymus Virginicus*.
 Rye-grass, Western.—*Elymus condensatus*.
 Rye-grass, Wild.—*Elymus Canadensis*, *Elymus condensatus*, *Elymus triticoides*, and *Elymus Virginicus*.
 St. Augustine-grass.—*Stenotaphrum Americanum*.
 St. Mary's grass.—*Panicum juncentorum*, *Sorghum Halapense*.
 Salem grass.—*Holcus lanatus*.
 Salt-grass.—*Sporobolus airoides*, *Distichlis maritima*.
 Salt-grass, Rush.—*Spartina juncea*.
 Salt Marsh-grass.—*Spartina stricta* and *Spartina juncea*.
 Salt Reed-grass.—*Spartina polystachya*.
 Sand-grass.—*Triplasis purpurea*, *Oryzopsis cuspidata*, *Distichlis maritima*, *Ammophila longifolia*, *Audropogon Hallii*, *Calamagrostis Canadensis*.
 Sand-Bur.—*Cenchrus tribuloides*.
 Sand-Oats.—*Arena fatua*.
 Sand Reed.—*Ammophila arundinacea*.
 Sand-Spur.—*Cenchrus tribuloides*.
 Satin-grass.—*Muhlenbergia glomerata*.
Schedonnardus Texanus, Steud.—
 Texan Crab-grass, Slender Tail-grass, Crab-grass, Wire-grass.
 Sea Meadow-grass, Creeping.—*Glyceria maritima*.
 Schrader's grass.—*Bromus unioloides*.
 Seutch grass.—*Cynodon Dactylon*, *Agropyrum repens*.
 Sea Lyme grass, Upright.—*Elymus arenarius*.
 Sea-sand Reed.—*Ammophila arundinacea*.
 Sea-side Finger grass.—*Chloris petraea*.
 Sea-side Hair-grass.—*Muhlenbergia capillaris*.
 Sea-side Oats.—*Uniola paniculata*.
 Sea Spear-grass.—*Glyceria maritima*.
 Sea Spear-grass, Creeping.—*Glyceria maritima*.
 Sea Reed, Common.—*Ammophila arundinacea*.
 Sedge, Broom.—*Andropogon Virginicus*.
 Sedge-grass.—*Andropogon Virginicus*.
 Seneca grass.—*Hierochloa borealis*.
 Sesame grass.—*Tripsacum dactyloides*.
Setaria composita, Kunth.—Large Fox-tail.
Setaria corrugata.—Wrinkled Fox-tail.
Setaria Germanica.—German Millet, Hungarian grass, Bristly Fox-tail.
Setaria glauca, Beauv.—Yellow Fox-tail, Bottle grass, Fox-tail.
Setaria Italica, Kth.—Italian Millet, Bengal grass, Cat-tail Millet, Golden Millet, etc.
Setaria verticillata.—Bristly Fox-tail.
Setaria viridis, Beauv.—Green Fox-tail, Pigeon grass, Green Pigeon grass, Bottle grass, Wild Millet. Sheep's Fescue.—*Festuca ovina*.
 Shining Spike-grass.—*Uniola nitida*.
 Short-leaved Beard-grass.—*Gymnopogon brevifolius*.
 Short-stalked Meadow-grass.—*Eragrostis Frankii*.
 Siberian Lyme-grass.—*Elymus Sibiricus*.
 Silky-flowered Oat-grass.—*Danthonia sericea*.
 Silver Beard-grass.—*Adropogon argyreus*.
 Simpson's grass.—*Panicum Curtissii*.
 Six-weeks grass.—*Bouteloua polystachya*.
 Slender Crab-grass.—*Panicum filiforme*.
 Slender Fescue.—*Festuca tenella*.
 Slender Fox-tail.—*Alopecurus agrestis*.
 Slender Meadow-grass.—*Eragrostis pilosa*.
 Slender Spike-grass.—*Uniola gracilis*.
 Slender Tail-grass.—*Schedonnardus Texanus*, (*Lepturus paniculatus*).
 Slough grass.—*Beckmannia erucaeformis*, *Spartina cynosuroides*.
 Smaller Blue-grass.—*Poa compressa*.
 Small Cane.—*Panicum dicaricatum*, *Arundinaria tecta*.
 Small Fescue.—*Festuca microstachya*.
 Small-flowered White grass.—*Leersia Virginica*.
 Small Mountain Rice.—*Oryzopsis Canadensis*.


- Small Reed-grass, Canadian.—*Calamagrostis Canadensis.*
- Smooth Brome-grass.—*Bromus racemosus.*
- Smooth Marsh-grass.—*Spartina alterniflora.*
- Smooth Meadow-grass.—*Poa pratensis.*
- Smooth Rye-grass.—*Elymus Virginicus.*
- Smooth-stalked Meadow-grass.—*Poa pratensis.*
- Smut grass.—*Sporobolus Indicus.*
- Soft Brome-grass.—*Bromus mollis.*
- Soft Chess.—*Bromus mollis.*
- Soft-grass, Creeping.—*Holcus mollis.*
- Soft-grass, Meadow.—*Holcus lanatus.*
- Soft-grass, Woolly.—*Holcus lanatus.*
- Sorghum avenaceum**, Mx.—Indian grass, (Same as *Andropogon nutans*, L. var *avenaceus*, Hack.)
- Sorghum cernuum**.—Chicken Corn, Guinea Corn, White Egyptian Corn.
- Sorghum Halapense**, Pers.—Same as *Andropogon Sorghum*, Brot. var. *Halapensis* Hack. which see.
- Sorghum nutans**, Gray.—Indian-grass, Wood-grass, Oat-like Indian grass. (Same as *Andropogon nutans*, L.)
- Sorghum saccharatum**.—Sweet Sorghum, Chinese Sugar Cane, African Cane, Broom Corn.
- Sorghum vulgare**, Pers.—(now referred to *Andropogon Sorghum*, Brot. var. *vulgare*).—Sorghum, Sugar Cane, Broom Corn, Indian Millet, Chinese Wheat, Ivory Wheat, Pampas Rice, Chinese Sugar Cane, African Corn, Guinea Corn, Duora Corn, Chocolate Corn, Great Millet, Oregon Rice. Southern Bent-grass.—*Agrostis elata.*
- Southern Canary-grass.—*Phalaris intermedia.*
- Southern Eragrostis.—*Eragrostis Purshii.*
- Southern Poverty-grass.—*Sporobolus vaginæflorus.*
- Southern Spear-grass.—*Eragrostis Purshii*, *Poa flexuosa.*
- Spanish grass.—*Panicum molle.*
- Spartina alterniflora**.—Smooth Marsh-grass.
- Spartina cynosuroides**, Willd.—Cord-grass, Fresh-water Cord-grass, Marsh-grass, Bull-grass, Thatch-grass, Slough-grass.
- Spartina glabra**, Muhl.—Marsh-grass, Rough Marsh-grass.
- Spartina juncea**, Willd.—White Rush, Marsh-grass, Salt-grass,
- Salt Marsh-grass, Rush Marsh-grass.
- Spartina polystachya**, Willd.—Salt Reed-grass.
- Spartina stricta**, Roth.—Salt Marsh-grass.
- Spear-grass.—*Poa annua*, *Poa pratensis*, *Triodia trinerviglumis*, *Stipa spartea.*
- Spear-grass, Branching.—*Eragrostis tenuis.*
- Spear-grass, Bunch.—*Poa Andina.*
- Spear-grass, Creeping.—*Poa compressa.*
- Spear-grass, Creeping Sea.—*Glyceria maritima.*
- Spear-grass, Low.—*Poa annua.*
- Spear-grass, Meadow.—*Glyceria nervata.*
- Spear-grass, Mountain.—*Poa Andina.*
- Spear-grass, Sea.—*Glyceria maritima.*
- Spear-grass, Southern.—*Poa flexuosa*, *Eragrostis Purshii.*
- Spear-grass, White.—*Glyceria aquatica.*
- Spear-grass, Wood.—*Poa alsodes.*
- Spider Bent-grass.—*Agrostis arachnoides.*
- Spike-grass.—Generic name for species of *Uniola*. *Uniola paniculata*, *Diplachne fascicularis*, *Distichlis maritima.*
- Spike-grass, Shining.—*Uniola nitida.*
- Spike-grass, Slender.—*Uniola gracilis.*
- Spiked Fescue.—*Festuca loliacea.*
- Spiked Wild Oat-grass.—*Danthonia spicata.*
- Sporobolus airoides**, Torr.—Salt-grass, Fine-top.
- Sporobolus asper**, Kunth.—Prairie grass.
- Sporobolus heterolepis**, Gray.—Wire-grass, Bunch-grass, Strong-scented *Sporobolus*.
- Sporobolus Indicus**, R. Br.—Smut-grass, Carpet-grass, Drop-seed-grass.
- Sporobolus junceus**, Kth.—Rush-like Drop-seed grass, Wire-grass.
- Sporobolus serotinus**.—Late Drop-seed grass.
- Sporobolus vaginæflorus**, Vasey.—Southern Poverty-grass, Prairie-grass.
- Sporobolus Wrightii**, Munro.—“Zacaton” or “Zacate” grass, Maton (of the Mexicans).
- Spring-grass, Sweet-scented.—*Anthonoxanthum odoratum.*
- Sprouting Crab-grass.—*Panicum proliferum.*
- Squirrel-tail grass.—*Hordeum jubatum* and *H. pratense.*


- Stenotaphrum Americanum**, Schk.—Hard grass, St. Augustine grass.
Stewart's Canary-grass.—*Phalaris intermedia*.
Stink-grass.—*Eragrostis minor* and *major*.
Stipa avenacea, Linn.—Black Oat-grass, Feather-grass.
Stipa comata.—Needle-grass, Feather grass, Bunch-grass, Needle and Thread.
Stipa pennata, Linn.—Feather-grass.
Stipa setigera, Presl.—Bear-grass, Bunch-grass.
Stipa spartea, Trin.—Porcupine-grass, Devil's Darning-needles, Devil's Knitting-needles, Spear-grass, Arrow-grass, Buffalo-grass (in the Saskatchewan region).
Stipa viridula, Trin.—Feather Bunch-grass, Bunch-grass, Wild Oat-grass, Wild Oats, Feather-grass.
 Strong-scented Meadow-grass.—*Eragrostis minor*.
 Strong-scented Sporobolus (Vilfa).—*Sporobolus heterolepis*.
 Suffolk-grass.—*Poa annua*.
 Sugar Cane, African.—*Sorghum saccharatum*, *S. vulgare*.
 Sugar Cane.—*Sorghum vulgare*.
 Sugar Cane, Chinese.—*Sorghum saccharatum*, *S. vulgare*.
 Summer Dew-grass.—*Agrostis vulgare*.
 Swamp Chess.—*Bromus ciliatus*.
 Swamp Wire-grass.—*Poa serotina*.
 Sweet-grass.—*Hierochloa borealis*.
 Sweet-scented-grass.—*Anthoxanthum odoratum*.
 Sweet-scented Spring-grass.—*Anthoxanthum odoratum*.
 Sweet-scented Vernal.—*Anthoxanthum odoratum*.
 Sweet Reed.—*Cinna arundinacea*.
 Sweet Sorghum.—*Sorghum saccharatum*.
 Sweet Vernal grass.—*Anthoxanthum odoratum*.
 Switch-grass.—*Panicum virgatum*.
 Syrian-grass.—*Sorghum Halapense*.
 Tail-grass, Slender.—*Schedonardus Texanus*.
 Tall Fescue.—*Festuca elatior*.
 Tall Grama.—*Bouteloua hirsuta*.
 Tall Oat-grass.—*Arrhenatherum avenaceum*.
 Tall Quaking-grass.—*Glyceria Canadensis*.
 Tall Red-top.—*Triodia cuprea* (*Tricuspidis sesleroides*), *Agrostis vulgaris*.
 Tall, Smooth, Panic-grass.—*Panicum virgatum*.
 Tall Thin-grass.—*Agrostis elata*.
 Taller Wild-grass.—*Danthonia sericea*.
 Tame Timothy.—*Phleum pratense*.
 Tear-grass.—*Coix lachryma*.
 Tears Job's.—*Coix lachryma*.
 Tennessee Oat-grass.—*Danthonia compressa*.
 Teosinte.—*Euchlaena luxurians*.
 Terrell-grass.—*Elymus Virginicus* and *E. Canadensis*.
 Texan Blue-grass.—*Poa arachnifera*.
 Texan Crab-grass.—*Schedonardus Texanus*.
 Texas Millet.—*Panicum Texanum*.
 Thatch-grass.—*Spartina cynosuroides*.
 Thin-grass.—*Agrostis perennans*.
 Thin-grass, Tall.—*Agrostis elata*.
 Tickle-grass.—*Agrostis scabra*.
 Timothy.—*Phleum pratense*.
 Timothy, Californian.—*Phalaris intermedia*, var. *angusta*.
 Timothy, Mountain.—*Alopecurus occidentalis*.
 Timothy, Native.—*Phleum alpinum*.
 Timothy, Tame.—*Phleum pratense*.
 Timothy, White.—*Holcus lanatus*.
 Timothy, Wild.—*Muhlenbergia glomerata*, *Beckmannia eruciformis*, *Setaria viridis*.
 Toothache-grass.—*Ctenium Americanum*.
Trichloris verticillata.—Branching Fox-tail, Fox-tail.
Tricuspidis sesleroides.—See *Triodia cuprea*.
Triodia acuminata.—White Tuft-grass.
Triodia cuprea, Jacq.—Tall Red-top, Fall Red-top, Purple-top. (Same as *Tricuspidis sesleroides*).
Triplasis Americana, Beauv.—Horned Spear-grass.
Triplasis purpurea, Chapm.—Purple Sand-grass, Sand-grass.
 Triple-awned grass.—Generic name for species of *Aristida*.
Tripsacum dactyloides, Linn.—Gama-grass, Sesame-grass, Bull-grass.
Trisetum palustre, Linn.—Marsh Oat-grass.
Trisetum subspicatum, var. *molle*. Gray.—Downy Persoon, Downy Oat-grass (?).
Triticum caninum.—Same as *Agropyrum caninum*.
Triticum repens.—Same as *Agropyrum repens*.
Triticum Polonicum.—Wild-goose Wheat, Montana Rye.
Triticum sativum, L.—Wheat.

- Tuft-grass, White.—*Triodia acuminata*.
 Tufted Hair-grass.—*Deschampsia cespitosa*.
 Turkey-foot grass.—*Andropogon Hallii*, *A. provincialis*.
 Tuscarora Rice.—*Zizania aquatica* and *Z. miliacea*.
 Twin-grass.—*Diarrhena Americana*.
 Twitch-grass.—*Agropyrum repens*.
- Uniola gracilis**, Mx.—Slender Spike-grass.
Uniola latifolia, Mx.—Broad-leaved Spike-grass, Wild Fescue grass, Wild Oats.
Uniola nitida.—Shining Spike-grass.
Uniola paniculata, Linn.—Sea-side Oats, Beach-grass, Spike-grass.
 Upright Chess.—*Bromus racemosus*.
 Upright Sea-Lyme grass.—*Elymus arenarius*.
- Valley-grass, Green.—*Sorghum Halapense*.
 Vanilla-grass.—*Hierochloa borealis*.
 Velvet-grass.—*Holcus lanatus*.
 Velvet Lawn-grass.—*Holcus lanatus*.
 Velvet Meadow-grass, Soft.—*Holcus lanatus*.
 Velvet Mesquit.—*Holcus lanatus*.
 Vernal-grass.—*Anthoxanthum odoratum*.
 Vernal-grass, Sweet.—*Anthoxanthum odoratum*.
 Vine Mesquit.—*Panicum obtusum*.
 Virginia Beard-grass.—*Andropogon Virginicus*.
 Virginia Cut-grass.—*Leersia Virginica*.
 Virginia Lyme-grass.—*Elymus Virginicus*.
 Water Fox-tail—*Alopecurus geniculatus*.
 Water Fox-tail, Wild.—*Alopecurus aristulatus*.
 Water-grass.—*Panicum Crus-galli*.
 Water Oats.—*Zizania aquatica*.
 Water Rice.—*Zizania aquatica*.
 Wavy Meadow-grass.—*Poa laxa*.
 Western Beard-grass.—*Aristida purpurea*.
 Western Fescue.—*Festuca microstachys*.
 Western Rye-grass.—*Elymus condensatus*.
 Wheat-grass, — Generic name for species of *Agropyrum*. *Agropyrum glaucum*.
 Wheat-grass, Awned.—*Agropyrum caninum*.
- Wheat-grass, Bearded.—*Agropyrum caninum*.
 Wheat-grass, Creeping.—*Agropyrum repens*.
 Wheat-grass, Fibrous-rooted.—*Agropyrum caninum*.
 Wheat, Chinese.—*Sorghum vulgare*.
 Wheat, Ivory.—*Sorghum vulgare*.
 Wheat, Wild.—*Elymus triticoides*.
 Wheat, Wild-goose.—*Triticum Polonicum*.
 White Bent.—*Agrostis alba*, *Andropogon scoparius*.
 White Egyptian Corn.—*Sorghum caninum*.
 White Gramma.—*Boteloua oligostachya*, var. and *Aristida* sp. undt. (near Odessa, Texas).
 White-grass.—*Leersia oryzoides*, *L. Virginica*.
 White-grass, Small-flowered.—*Leersia Virginica*.
 White Rush.—*Spartina juncea*.
 White Spear-grass.—*Glyceria aquatica*.
 White Timothy.—*Holcus lanatus*.
 White-top.—*Danthonia spicata*, *Agrostis alba*.
 White Tuft-grass.—*Triodia acuminata*.
 White Yorkshire.—*Holcus lanatus*.
 Wild Barley.—*Hordeum pratense*.
 Wild Chess.—*Bromus Kalmii*.
 Wild Fescue-grass.—*Uniola latifolia*.
 Wild-goose Wheat.—*Triticum Polonicum*.
 Wild June grass.—*Koeleria cristata*.
 Wild Oat-grass, Purple.—*Avena striata*.
 Wild Millet-grass.—*Milium effusum*, *Oryzopsis cuspidata*, *Setaria viridis*.
 Wild Oat-grass or Oat-grass.—Species of *Danthonia*, *Andropogon nutans*, *Arrhenatherum avenaceum*.
 Wild Oat-grass.—*Danthonia spicata*, *Sorghum nutans* (*Chrysopogon nutans*), *Stipa viridula*.
 Wild Oats.—*Avena fatua*, *Uniola latifolia*, *Zizania latifolia*, and *Calamagrostis Nuttalliana*.
 Wild Quack-grass.—*Agropyrum glaucum*.
 Wild Red-top.—*Panicum virgatum*.
 Wild Rice.—*Zizania aquatica*.
 Wild Rye.—*Elymus Virginicus*, *E. triticoides* and *E. condensatus*.
 Wild Timothy.—*Muhlenbergia glomerata*, *Setaria viridis*, *Beckmannia eruciformis*.
 Wild Water Foxtail.—*Alopecurus aristulatus*.
 Wild Wheat.—*Elymus triticoides*.
 Willard's Brome-grass.—*Bromus secalinus*.

Wire-grass.—*Mulenbergia diffusa*, *Poa compressa*, *Sporobolus junceus*, *Aristida stricta*, *Cynodon Dactylon*, *Eleusine Indica*, *Andropogon scoparius*, *Sporobolus heterolepis*, *Schedonardus Texanus*. Also applied to *Juncus* species.
 Wire-grass, Swamp.—*Poa serotina*.
 Wire-Bunch-grass.—*Agropyrum diversum*.
 Witch-grass.—*Agropyrum repens*.
 Witch-grass, Old.—*Panicum capillare*.
 Wood-grass.—*Sorghum nutans*, *Muhlenbergia Mexicana*.
 Wood-grass, Finger-spiked.—*Andropogon provincialis*.
 Wood-grass, Purple.—*Andropogon scoparius*.
 Wood Hair-grass.—*Deschampsia flexuosa*.
 Wood Meadow-grass.—*Poa nemoralis*.
 Wood Reed-grass.—*Cinna arundinacea*.
 Wood Spear-grass.—*Poa alsodes*.
 Woolly Beard-grass.—*Erianthus alopecuroides* (*E. saccharoides*).

Woolly Bent-grass.—*Amomophila longifolia* (*Calamagrostis longifolia*).
 Woolly-jointed Grama.—*Bouteloua eriopoda*.
 Woolly Poverty-grass.—*Aristida lanata*.
 Woolly Soft-grass.—*Holcus lanatus*.
 Woolly Triple-awn.—*Aristida lanata*.
 Yard-grass.—*Eleusine Indica*.
 Yellow Fox-tail.—*Setaria glauca*.
 Yellow Oat-grass.—*Avena flavescentia*.
 "Yerba de Para".—*Panicum molle* Sw.
 Yorkshire Fog.—*Holcus lanatus*.
 Yorkshire White.—*Holcus lanatus*.
 "Zacate de liebre".—*Aristida Claffornica*.
 Zaca-te-grass.—*Sporobolus Wrightii*.
 Zaca-ton.—*Sporobolus Wrightii*.
Zea Mays.—Indian Corn or Maize.
Zizania aquatica, Linn.—Indian Rice, Wild Rice, Water Rice, Tuscarora Rice, Water Oats.
Zizania miliacea, Mx.—Tuscarora Rice, Wild Oats, Prolific Rice.







SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00623 6491